



NEILSON RESEARCH CORPORATION

Environmental Testing Laboratory

3/10/2017

Ken Gruenwald
Eagle Point School District #9
PO Box 548
Eagle Point, OR 97524
TEL: (541) 830-1240
FAX (541) 830-6375

RE: Lead Study-Eagle Point High School

Order No.: 1702881

Dear Ken Gruenwald:

Neilson Research Corporation received 71 sample(s) on 2/28/2017 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Ronald W. Canady
Project Manager

245 S Grape St • Medford, OR 97501 • (541) 770-5678
400 SE G St, Suite B • Grants Pass, OR 97526 • (541) 479-4053

www.nrclabs.com

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

CLIENT: Eagle Point School District #9
Project: Lead Study-Eagle Point High School
Lab Order: 1702881

Date: 10-Mar-17

CASE NARRATIVE

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548
Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:29 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-01

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27536
Source: City Water
Sample Location: A-1

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0128		0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-02

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27541
Source: City Water
Sample Location: A-3

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00223		0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-03

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27543
Source: City Water
Sample Location: A-4

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00943		0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-04

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27544
Source: City Water
Sample Location: A-5

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00206		0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-05

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27713
Source: City Water
Sample Location: A-6

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0201	CF*	0.000103	mg/L	1	3/3/2017	A

Qualifiers:

- | | |
|--|---|
| <ul style="list-style-type: none"> * Value exceeds Maximum Contaminant Level E Value above quantitation range J Analyte detected below quantitation limits S Spike Recovery outside accepted recovery limits | <ul style="list-style-type: none"> B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded ND Not Detected at the Minimum Reporting Limit |
|--|---|

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548
Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:29 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-06

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27532
Source: City Water
Sample Location: A-7

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0827	CF*	0.0001	mg/L	1	3/8/2017	A	

Lab ID: 1702881-07

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27710
Source: City Water
Sample Location: A-8

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0978	CF*	0.0001	mg/L	1	3/8/2017	A	

Lab ID: 1702881-08

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27601
Source: City Water
Sample Location: A-9

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.00929		0.000103	mg/L	1	3/3/2017	A	

Lab ID: 1702881-09

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27551
Source: City Water
Sample Location: A-10

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0121		0.000103	mg/L	1	3/3/2017	A	

Lab ID: 1702881-10

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27553
Source: City Water
Sample Location: A-11

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.00929		0.000103	mg/L	1	3/3/2017	A	

Qualifiers:

- | | |
|--|---|
| <ul style="list-style-type: none"> * Value exceeds Maximum Contaminant Level E Value above quantitation range J Analyte detected below quantitation limits S Spike Recovery outside accepted recovery limits | <ul style="list-style-type: none"> B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded ND Not Detected at the Minimum Reporting Limit |
|--|---|

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548
Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:29 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-11

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27542
Source: City Water
Sample Location: A-12

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00777		0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-12

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27549
Source: City Water
Sample Location: A DF-1

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00140		0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-13

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27558
Source: City Water
Sample Location: A DF-2

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00125		0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-14

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27534
Source: City Water
Sample Location: A-13

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.351	CF*	0.0002	mg/L	2	3/9/2017	A

Lab ID: 1702881-15

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27716
Source: City Water
Sample Location: A-14

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0198	CF	0.000103	mg/L	1	3/3/2017	A

Qualifiers:

- | | |
|--|---|
| <ul style="list-style-type: none"> * Value exceeds Maximum Contaminant Level E Value above quantitation range J Analyte detected below quantitation limits S Spike Recovery outside accepted recovery limits | <ul style="list-style-type: none"> B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded ND Not Detected at the Minimum Reporting Limit |
|--|---|

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548
Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:29 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-16

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27545
Source: City Water
Sample Location: A-15

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0816	CF*	0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-17

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27552
Source: City Water
Sample Location: A-16

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0388	CF*	0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-18

Collection Date: 2/28/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #38592
Source: City Water
Sample Location: B-1

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0490	CF*	0.000103	mg/L	1	3/3/2017	A

Lab ID: 1702881-19

Collection Date: 2/28/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #38595
Source: City Water
Sample Location: B-2

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.175	CF*	0.0001	mg/L	1	3/8/2017	A

Lab ID: 1702881-20

Collection Date: 2/28/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27581
Source: City Water
Sample Location: B-3

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0242	CF*	0.000103	mg/L	1	3/3/2017	A

Qualifiers:

- | | |
|--|---|
| <ul style="list-style-type: none"> * Value exceeds Maximum Contaminant Level E Value above quantitation range J Analyte detected below quantitation limits S Spike Recovery outside accepted recovery limits | <ul style="list-style-type: none"> B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded ND Not Detected at the Minimum Reporting Limit |
|--|---|

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:29 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-21

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38600

Source: City Water

Sample Location: B-4

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0466	CF*	0.000103	mg/L	1	3/3/2017	A	

Lab ID: 1702881-22

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38591

Source: City Water

Sample Location: B-5

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0275	CF*	0.000103	mg/L	1	3/3/2017	A	

Lab ID: 1702881-23

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38590

Source: City Water

Sample Location: B-6

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0303	CF*	0.000103	mg/L	1	3/3/2017	A	

Lab ID: 1702881-24

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27582

Source: City Water

Sample Location: B-7

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0199	CF	0.000103	mg/L	1	3/3/2017	A	

Lab ID: 1702881-25

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27576

Source: City Water

Sample Location: B-9

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0207	CF*	0.000103	mg/L	1	3/7/2017	A	

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:29 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-26

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27113

Source: City Water

Sample Location: B-10

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.146	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-27

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38580

Source: City Water

Sample Location: B-11

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.129	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-28

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27120

Source: City Water

Sample Location: B-12

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0399	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-29

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27119

Source: City Water

Sample Location: B-13

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0683	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-30

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27122

Source: City Water

Sample Location: B-14

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0243	CF*	0.000103	mg/L	1	3/7/2017	A	

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:29 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-31

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38598

Source: City Water

Sample Location: B-17

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0645	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-32

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38599

Source: City Water

Sample Location: B-19

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.165	CF*	0.0001	mg/L	1	3/8/2017	A	

Lab ID: 1702881-33

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38597

Source: City Water

Sample Location: B-20

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.152	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-34

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38587

Source: City Water

Sample Location: B-21

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0204	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-35

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38594

Source: City Water

Sample Location: B-22

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0837	CF*	0.000103	mg/L	1	3/7/2017	A	

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548
Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:30 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-36

Collection Date: 2/28/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #38583
Source: City Water
Sample Location: B-23

Trace Metals by EPA 200.8 ICP-MS						Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed	
Lead	0.0389	CF*	0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-37

Collection Date: 2/28/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #38588
Source: City Water
Sample Location: B-24

Trace Metals by EPA 200.8 ICP-MS						Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed	
Lead	0.0276	CF*	0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-38

Collection Date: 2/28/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #38596
Source: City Water
Sample Location: B-25

Trace Metals by EPA 200.8 ICP-MS						Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed	
Lead	0.0712	CF*	0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-39

Collection Date: 2/28/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #38584
Source: City Water
Sample Location: B-26

Trace Metals by EPA 200.8 ICP-MS						Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed	
Lead	0.0656	CF*	0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-40

Collection Date: 2/28/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27578
Source: City Water
Sample Location: B-27

Trace Metals by EPA 200.8 ICP-MS						Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed	
Lead	0.0544	CF*	0.000103	mg/L	1	3/7/2017	A

Qualifiers:

- | | |
|--|---|
| <ul style="list-style-type: none"> * Value exceeds Maximum Contaminant Level E Value above quantitation range J Analyte detected below quantitation limits S Spike Recovery outside accepted recovery limits | <ul style="list-style-type: none"> B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded ND Not Detected at the Minimum Reporting Limit |
|--|---|

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:30 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-41

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38586

Source: City Water

Sample Location: B-28

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0430	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-42

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27570

Source: City Water

Sample Location: B-29

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0695	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-43

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38579

Source: City Water

Sample Location: B-30

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0684	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-44

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27568

Source: City Water

Sample Location: B-31

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0468	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-45

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27108

Source: City Water

Sample Location: B-32

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0684	CF*	0.000103	mg/L	1	3/7/2017	A	

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 1702881

Received Date: 2/28/2017 8:44:00 AM

Reported Date: 3/10/2017 4:57:30 PM

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-46

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27106

Source: City Water

Sample Location: B-33

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0594	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-47

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27109

Source: City Water

Sample Location: B-34

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.109	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-48

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27110

Source: City Water

Sample Location: B-35

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.109	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-49

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27550

Source: City Water

Sample Location: B-36

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0579	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-50

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27571

Source: City Water

Sample Location: B-37

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0378	CF*	0.000103	mg/L	1	3/7/2017	A	

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:30 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-51

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #38585

Source: City Water

Sample Location: B-38

Trace Metals by EPA 200.8 ICP-MS						Dilution Factor	Analyst: OML Date Analyzed	NELAP Accredited
Analyses	Result	Qual	MRL	Units				
Lead	0.0287	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-52

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27579

Source: City Water

Sample Location: B-39

Trace Metals by EPA 200.8 ICP-MS						Dilution Factor	Analyst: OML Date Analyzed	NELAP Accredited
Analyses	Result	Qual	MRL	Units				
Lead	0.0958	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-53

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27565

Source: City Water

Sample Location: B-40

Trace Metals by EPA 200.8 ICP-MS						Dilution Factor	Analyst: OML Date Analyzed	NELAP Accredited
Analyses	Result	Qual	MRL	Units				
Lead	0.129	CF*	0.0001	mg/L	1	3/8/2017	A	

Lab ID: 1702881-54

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27115

Source: City Water

Sample Location: B-41

Trace Metals by EPA 200.8 ICP-MS						Dilution Factor	Analyst: OML Date Analyzed	NELAP Accredited
Analyses	Result	Qual	MRL	Units				
Lead	0.0332	CF*	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-55

Collection Date: 2/28/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #27142

Source: City Water

Sample Location: B-42

Trace Metals by EPA 200.8 ICP-MS						Dilution Factor	Analyst: OML Date Analyzed	NELAP Accredited
Analyses	Result	Qual	MRL	Units				
Lead	0.0191	CF	0.000103	mg/L	1	3/7/2017	A	

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548
Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:30 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-56

Collection Date: 2/28/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27572
Source: City Water
Sample Location: B-43

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.108	CF*	0.0001	mg/L	1	3/8/2017	A

Lab ID: 1702881-57

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #19306
Source: City Water
Sample Location: C-1

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0228	CF*	0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-58

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27538
Source: City Water
Sample Location: C-2

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0158	CF	0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-59

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27599
Source: City Water
Sample Location: C-3

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0286	CF*	0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-60

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27535
Source: City Water
Sample Location: C-4

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0107		0.000103	mg/L	1	3/7/2017	A

Qualifiers:

- | | |
|--|---|
| <ul style="list-style-type: none"> * Value exceeds Maximum Contaminant Level E Value above quantitation range J Analyte detected below quantitation limits S Spike Recovery outside accepted recovery limits | <ul style="list-style-type: none"> B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded ND Not Detected at the Minimum Reporting Limit |
|--|---|

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548
Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:30 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-61

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27539
Source: City Water
Sample Location: C-5

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0200	CF	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-62

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27537
Source: City Water
Sample Location: C-6

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0185	CF	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-63

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #27557
Source: City Water
Sample Location: C-7

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0177	CF	0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-64

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #19267
Source: City Water
Sample Location: D-1

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0105		0.000103	mg/L	1	3/7/2017	A	

Lab ID: 1702881-65

Collection Date: 2/27/2017 7:00:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #19289
Source: City Water
Sample Location: D-2

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0153	CF	0.000103	mg/L	1	3/7/2017	A	

Qualifiers:

- | | |
|--|---|
| <ul style="list-style-type: none"> * Value exceeds Maximum Contaminant Level E Value above quantitation range J Analyte detected below quantitation limits S Spike Recovery outside accepted recovery limits | <ul style="list-style-type: none"> B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded ND Not Detected at the Minimum Reporting Limit |
|--|---|

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:30 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-66

Collection Date: 2/27/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #19229

Source: City Water

Sample Location: D-3

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00221		0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-67

Collection Date: 2/27/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #19297

Source: City Water

Sample Location: D-4

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00209		0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-68

Collection Date: 2/27/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #19308

Source: City Water

Sample Location: D-5

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00787		0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-69

Collection Date: 2/27/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #19237

Source: City Water

Sample Location: D-6

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0104		0.000103	mg/L	1	3/7/2017	A

Lab ID: 1702881-70

Collection Date: 2/27/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #19272

Source: City Water

Sample Location: D-7

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.0285	CF*	0.000103	mg/L	1	3/7/2017	A

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1702881**

Received Date: **2/28/2017 8:44:00 AM**

Reported Date: **3/10/2017 4:57:30 PM**

Sample Information: Lead Study-Eagle Point High School

Lab ID: 1702881-71

Collection Date: 2/27/2017 7:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #19275

Source: City Water

Sample Location: D-8

Trace Metals by EPA 200.8 ICP-MS

Analyses	Result	Qual	MRL	Units	Dilution Factor	Analyst: OML Date Analyzed	NELAP Accredited
Lead	0.0341	CF*	0.000103	mg/L	1	3/7/2017	A

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation
DATA FLAGS

B	Analyte detected in the associated method blank.
BA	BOD Alternative Calculation: The initial results performed by Standard Methods did not fall within parameters of the Standard Methods calculation. An alternate approved calculation was performed using the HACH method and the value reported is an estimated concentration.
C	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria. See Case Narrative.
C1	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria for temperature.
CF	Results confirmed by re-analysis.
CU	Cleanup performed as specified by method.
D1	The diesel elution pattern for the sample is not typical.
D2	The sample appears to be a heavier hydrocarbon range than diesel.
D3	The sample appears to be a lighter hydrocarbon range than diesel.
D4	Detected hydrocarbons do not have pattern and range consistent with typical petroleum products and may be due to biogenic interference.
D5	Detected hydrocarbons in the diesel range appear to be weathered diesel.
E	Estimated value.
ER	Elevated reporting limit due to matrix. Report limits (MDLs, MRLs & PQLs) are adjusted based on variations in sample preparation amounts, analytical dilutions, and percent solids, where applicable.
FC	Fecal Coliforms: Sample(s) received past 40 CFR Part 136 specified holding time. Results reported as estimated values.
G1	The gasoline elution pattern for the sample is not typical.
G2	The sample appears to be a heavier hydrocarbon range than gasoline.
G3	The sample appears to be a lighter hydrocarbon range than gasoline.
G4	Detected hydrocarbons in the gasoline range appear to be weathered gasoline.
HP	Sample re-analysis performed outside of method specified holding time.
HR	Sample received outside of method specified holding time.
HS	Sample analyzed for volatile organics contained headspace.
HT	At the client's request, the sample was analyzed outside of method specified holding time.
H	Analysis performed outside of method specified holding time.
J	Analyte detected below the Minimum Reporting Limit (MRL) and above the Method Detection Limit (MDL). The J flag result is an estimated value and the user should be aware that this data is of limited reliability.
MI	Surrogate or Matrix Spike recovery is out of control limits due to matrix interference. Sample results may be biased.
N	See Case Narrative on page 2 of report.
Q	Closing continuing calibration verification (CCV) or laboratory control sample (LCS) exceeded high recovery limits, but associated samples are non-detect and the sample results are not affected. Data meets EPA/NELAP requirements.
R	Relative percent difference (RPD) is outside of the accepted recovery limits.
R1	Relative percent difference (RPD) is outside of the accepted recovery limits. However, analyses are not controlled on RPD values for sample concentrations that are less than the reporting limit.
R3	The relative percent difference (RPD) and/or percent recovery for the duplicate (DUP) or matrix spike (MS)/matrix spike duplicate (MSD) cannot be accurately calculated due to the concentration of analyte already present in the sample.
R4	Duplicate analysis failed due to result being at or near method reporting limit.
S	Surrogate and/or matrix spike recovery is outside of the accepted recovery limits. Sample results may be biased.
S1	Surrogate or matrix spike recovery is outside of control limits due to dilution necessary for analysis.
SC	Sub-contracted to another laboratory for analysis.
SP	Sample(s) were not collected per EPA Method 5035A protocols. The results are considered minimum values.
T	Toxicity Characteristic Leaching Procedure – Sample submitted contained < 0.5% solids. If the waste contains <0.5% dry solids, the liquid portion of the waste, after filtration, is defined as the TCLP extract.
#	Value exceeds regulatory level for TCLP contaminant.
X1	The motor oil elution pattern for the sample is not typical.
X2	The sample appears to be a heavier hydrocarbon range than motor oil.
X3	The sample appears to be a lighter hydrocarbon range than motor oil.
*	Value exceeds Maximum Contaminant Level or is outside the acceptable range.

NRC SOP QA-1104/AD-3100
Revision 3
Effective Date: 6/3/16

CLIENT: Eagle Point School District #9
Work Order: 1702881
Project: Lead Study-Eagle Point High School

ANALYTICAL QC SUMMARY REPORT

TestCode: ICPMS_200.8_SCHOOL

Sample ID MB-37740	SampType: MBLK	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93519						
Client ID: ZZZZZ	Batch ID: 37740	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/3/2017	SeqNo: 1417951						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000103

Sample ID MB-37741	SampType: MBLK	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563						
Client ID: ZZZZZ	Batch ID: 37741	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418453						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000103

Sample ID MB-37742	SampType: MBLK	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563						
Client ID: ZZZZZ	Batch ID: 37742	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418481						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000103

Sample ID MB-37745	SampType: MBLK	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563						
Client ID: ZZZZZ	Batch ID: 37745	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418509						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000103

Sample ID MB-37748	SampType: MBLK	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93589						
Client ID: ZZZZZ	Batch ID: 37748	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/8/2017	SeqNo: 1418923						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000100

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Minimum Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits

CLIENT: Eagle Point School District #9
Work Order: 1702881
Project: Lead Study-Eagle Point High School

ANALYTICAL QC SUMMARY REPORT

TestCode: ICPMS_200.8_SCHOOL

Sample ID LCS-37740	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93519						
Client ID: ZZZZZ	Batch ID: 37740	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/3/2017	SeqNo: 1417952						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1030 0.000104 0.1 0 103 85 115

Sample ID LCS-37741	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563						
Client ID: ZZZZZ	Batch ID: 37741	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418454						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1063 0.000104 0.1 0.00001545 106 85 115

Sample ID LCS-37742	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563						
Client ID: ZZZZZ	Batch ID: 37742	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418482						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1098 0.000104 0.1 0.00002575 110 85 115

Sample ID LCS-37745	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563						
Client ID: ZZZZZ	Batch ID: 37745	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418510						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1068 0.000104 0.1 0.00001854 107 85 115

Sample ID LCS-37748	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93589						
Client ID: ZZZZZ	Batch ID: 37748	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/8/2017	SeqNo: 1418924						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1032 0.000100 0.1 0.000011 103 85 115

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Minimum Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits

CLIENT: Eagle Point School District #9
 Work Order: 1702881
 Project: Lead Study-Eagle Point High School

ANALYTICAL QC SUMMARY REPORT

TestCode: ICPMS_200.8_SCHOOL

Sample ID	1702881-24AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93519					
Client ID:	Bottle #27582	Batch ID: 37740	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/3/2017	SeqNo: 1417975					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1219 0.000104 0.1 0.01988 102 70 130

Sample ID	1702881-45AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563					
Client ID:	Bottle #27108	Batch ID: 37741	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418477					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1750 0.000104 0.1 0.06835 107 70 130

Sample ID	1702881-67AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563					
Client ID:	Bottle #19297	Batch ID: 37742	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418505					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1118 0.000104 0.1 0.002087 110 70 130

Sample ID	1702882-19AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563					
Client ID:	ZZZZZ	Batch ID: 37745	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418533					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1082 0.000104 0.1 0.001445 107 70 130

Sample ID	1702882-66AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93589					
Client ID:	ZZZZZ	Batch ID: 37748	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/8/2017	SeqNo: 1418944					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1035 0.000100 0.1 0.000725 103 70 130

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Minimum Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits

CLIENT: Eagle Point School District #9
Work Order: 1702881
Project: Lead Study-Eagle Point High School

ANALYTICAL QC SUMMARY REPORT

TestCode: ICPMS_200.8_SCHOOL

Sample ID	1702881-24AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93519					
Client ID:	Bottle #27582	Batch ID: 37740	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/3/2017	SeqNo: 1417976					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	0.1214	0.000104	0.1	0.01988	101	70	130	0.1219	0.406	20
------	--------	----------	-----	---------	-----	----	-----	--------	-------	----

Sample ID	1702881-45AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563					
Client ID:	Bottle #27108	Batch ID: 37741	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418478					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	0.1763	0.000104	0.1	0.06835	108	70	130	0.175	0.745	20
------	--------	----------	-----	---------	-----	----	-----	-------	-------	----

Sample ID	1702881-67AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563					
Client ID:	Bottle #19297	Batch ID: 37742	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418506					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	0.1104	0.000104	0.1	0.002087	108	70	130	0.1118	1.31	20
------	--------	----------	-----	----------	-----	----	-----	--------	------	----

Sample ID	1702882-19AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93563					
Client ID:	ZZZZZ	Batch ID: 37745	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/7/2017	SeqNo: 1418534					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	0.1085	0.000104	0.1	0.001445	107	70	130	0.1082	0.298	20
------	--------	----------	-----	----------	-----	----	-----	--------	-------	----

Sample ID	1702882-66AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 3/3/2017	RunNo: 93589					
Client ID:	ZZZZZ	Batch ID: 37748	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 3/8/2017	SeqNo: 1418945					
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	0.1046	0.000100	0.1	0.000725	104	70	130	0.1035	1.03	20
------	--------	----------	-----	----------	-----	----	-----	--------	------	----

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Minimum Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits



Environmental Testing Laboratory
 245 South Grape Street * Medford, OR 97501
 (541) 770-5678 Fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information

Company: JCSD 9
 Address: PO Box 548
 Email: gruenwaldk@esalepnt.k12.or.us
 Phone: 541 830-6377 Fax
 Collected By (Print): Steve Lambert
 Collected By (Sign):
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B Required Project Information

Project Name: Eagle Point High
 Project Number:
 Report To:
 Copy To:
 P.O. #

Section C Invoice Information

Attention:
 Company Name:
 Address:
 P.O. #

Section D Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other:
 Authorized Yes No

Section E Sample Information

Sample ID	Comp/Grab	Matrix	Date Collected	Time Collected	No. of Containers	Analysis Requested
A-1	27536	DW	2/23/17	2M	9	
A-2		DW				
A-3	27541	DW				
A-4	27543	DW				
A-5	27544	DW				
A-6	27713	DW				
A-7	27532	DW				
A-8	27710	DW				
A-9	27661	DW				
A-10	27551	DW				

Matrix: DW - Drinking Water WW - Wastewater V - Water S - Soil/Sand SL - Sludge O - Oil WP - wipe OT - Other

Section F Relinquish/Receive

Relinquished By: *Steve Lambert* Sign
 Received By: *Steve Lambert* Sign
 Relinquished By:
 Received By:
 Relinquished By:
 Received By: *Steve Lambert* Sign
 Relinquished By:
 Received By: *Steve Lambert* Sign

Section G Lab Use Only

Temp: *AWB*
 4°C +/- 2°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: *17*
 pH Checked: *NA*
 COC Seals Intact: Yes No
 Field Blank Included: Yes No
 Received Via: UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # Amount



Environmental Testing Laboratory
 245 South Grape Street • Medford, OR 97501
 (541) 770-5678 fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company: JCSD \$	Address: PO Box 548	Project Name: Eagle Point High	Project Number:	Attention:	Company Name:	<input checked="" type="checkbox"/> Standard 16-14 Days	<input type="checkbox"/> 5 Business Days (50% surcharge)
Email: gruenwaldk@earlepoint.k12.or.us	Phone: 541 830-6377 Fax:	Report To:	Copy To:	Address:	P.O. #	<input type="checkbox"/> 3 Business Days (75% surcharge)	<input type="checkbox"/> 24 - 48 hours (100% surcharge)
Collected By (Print): Steve Lambert	Collected By (Sign):	Analysis Requested		Authorized		<input type="checkbox"/> Other	<input type="checkbox"/> Yes <input type="checkbox"/> No
Email Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Mail Report <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Fax Report <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		NRC Workorder # 1708581		Remarks/Field Data	

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Sample # (Lab Use Only)
A-11		DW	2/22/17	2:00	10		1708581
A-12		DW					
A DE-1		DW					
A DE-2		DW					
A-13		DW					
A-14		DW					
A-15		DW					
A-16		DW					

Section F Relinquish/Receive		Section G Lab Use Only	
Relinquished By: <i>Steve Lambert</i>	Sign: <i>[Signature]</i>	Temp: _____	4°C +/- 2°C: Yes <input type="checkbox"/> No <input type="checkbox"/>
Received By: <i>Steve Lambert</i>	Print: <i>Steve Lambert</i>	Received on ice: Yes <input type="checkbox"/> No <input type="checkbox"/>	Number of Bottles Received: _____
Relinquished By: _____	Date: <i>2-28-17</i>	pH Checked: _____	COC Seals Intact: Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Received By: _____	Time: <i>8:44</i>	Field Blank Included: Yes <input type="checkbox"/> No <input type="checkbox"/>	UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Other <input type="checkbox"/>
Relinquished By: _____		Received Via _____	Check # _____ Amount _____
Received By Laboratory: <i>W. Wood</i>		Payment: _____ Invoice _____ Cash _____	VISA, M/C _____



Environmental Testing Laboratory
 245 South Grape Street • Medford, OR 97501
 (541) 770-5678 Fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Page ___ of ___

Section A Required Client Information

Company: JCSO 9
 Address: PO Box 548
 Email: gruenwaldk@eaglepoint.k12.or.us
 Phone: 541 830-6377 Fax:
 Collected By (Print): Steve Lamber
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B Required Project Information

Project Name: Eagle Point High
 Project Number:
 Report To:
 Copy To:
 P.O. #

Section C Invoice Information

Attention:
 Company Name:
 Address:
 P.O. #

Section D Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other _____
 Authorized Yes No

Section E Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	NRC Sample # (Lab Use Only)
B-1		DW	2/28/17	2pm	2		1702881	181A
B-2		DW						191A
B-3		DW						201A
B-4		DW						211A
B-5		DW						221A
B-6		DW						231A
B-7		DW						241A
B-8		DW						
B-9		DW						
B-10		DW						

Section F Relinquish/Receive

Relinquished By: *Steve Lamber* Sign: *Steve Lamber* Print: *Steve Lamber*
 Received By: *Steve Lamber* Sign: *Steve Lamber* Print: *Steve Lamber*
 Relinquished By: _____ Sign: _____ Print: _____
 Received By: _____ Sign: _____ Print: _____
 Relinquished By: _____ Sign: _____ Print: _____
 Received By: _____ Sign: _____ Print: _____

Section G Lab Use Only

Temp: *MMD*
 4°C +/- 2°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: *10*
 pH Checked: *NA*
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No NA
 Received Via: UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # _____ Amount _____



Environmental Testing Laboratory
 245 South Grape Street • Medford, OR 97501
 (541) 770-5678 Fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information

Company: JQSD 3
 Address: PO Box 548
 Email: etuenwaldk@eaglepoint.k12.or.us
 Phone: 541 830-6377 Fax:
 Collected By (Print): Steve Lambert
 Collected By (Sign):
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B Required Project Information

Project Name: Eagle Point High
 Project Number:
 Report To:
 Copy To:
 Attention:
 Company Name:
 Address:
 P.O. #

Section D Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other: _____
 Authorized Yes No

Section C Invoice Information

Analysis Requested

Section E Sample Information

Sample ID	Corrip/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	NRC Sample # (Lab Use Only)
B-11		DW	2/28/17	7:24 AM	6		17028881	277
B-12		DW						281A
B-13		DW						281A
B-14		DW						304
B-15		DW						
B-17		DW						31A
B-18		DW						
B-19		DW						
B-20		DW						33A

Section F Relinquish/Receive

Received By: Ben Stuber Sign
 Relinquished By: Ben Stuber Sign
 Received By: _____
 Relinquished By: _____
 Received By: _____
 Relinquished By: _____
 Received By Laboratory: WED SQUIG
 Relinquished By: TED SQUIG

Section G Lab Use Only

Temp: AMB
 4°C +/- 2°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: 10
 pH Checked: NA
 COC Seats Intact: Yes No
 Field Blank Included: Yes No
 Payment: Invoice Cash VISA/MC
 Received Via: UPS FedEx Other
 Check # _____ Amount _____



Environmental Testing Laboratory
 245 South Grange Street • Medford, OR 97501
 (541) 770-5678 Fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Page ___ of ___

Section A Required Client Information

Company: JCS D 3
 Address: PO Box 348
 Email: EGuenwaldk@eagleprint.k12.or.us
 Phone: 541 830-6377 Fax:
 Collected By (Print): Steve Lambert
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B Required Project Information

Project Name: Eagle Print High
 Project Number:
 Report To:
 Copy To:
 P.O. #

Section C Invoice Information

Attention:
 Company Name:
 Address:
 P.O. #

Section D Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other:
 Authorized Yes No

Section E Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested
B-21		DW	2/28/17	7 AM	20	
B-22		DW				
B-23		DW				
B-24		DW				
B-25		DW				
B-26		DW				
B-27		DW				
B-28		DW				
B-29		DW				
B-30		DW				

MATRIX: DW - Drinking Water WW - Wastewater W - Water S - Soil/Sand SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive

Relinquished By: *Steve Lambert* Sign: *[Signature]*
 Received By: *Steve Lambert* Date: *2/28/17* Time: *8:44*
 Relinquished By:
 Received By:
 Relinquished By:
 Received By: *Steve Lambert* Date: *2/28/17* Time: *8:44*

Section G Lab Use Only

Temp: *44*
 4°C +/- 2°C: Yes No
 Received on ice: Yes No
 Number of Bottles Received: *10*
 PH Checker: *NA*
 COD Seals Intact: Yes No
 Field Blank Included: Yes No
 Received Via: UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # Amount



Environmental Testing Laboratory
 245 South Grape Street • Medford, OR 97501
 (541) 770-5678 Fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information

Company: J OSD 8
 Address: PO Box 548
 Email: etuenwaldk@eagleent.k12.or.us
 Phone: 541 830-8377 Fax:
 Collected By (Print): Steve Lambert
 Collected By (Sign):
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B Required Project Information

Project Name: Eagle Point High
 Project Number:
 Report To:
 Copy To:
 P.O. #

Section C Invoice Information

Attention:
 Company Name:
 Address:
 P.O. #

Section D Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other:
 Authorized: Yes No

Section E Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested
B 31		DW	2/28/17	7:00am	26	
B 32		DW				
B 33		DW				
B 34		DW				
B 35		DW				
B 36		DW				
B 37		DW				
B 38		DW				
B 39		DW				
B 40		DW				

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Sand SL - Sludge O - Oil WP - wipe OT - Other

Section G Lab Use Only

Temp: 4°C
 4°C +/- 2°C: Yes No
 Received on ice: Yes No
 Number of Bottles Received: 10
 PH Checked: NA
 COC Seals Intact: Yes No
 Field Blank Included: Yes No

Received Via: Invoice Cash VISA, M/C Check #
 Received Via: UPS FedEx Other Hand
 Amount:

Section F
 Relinquish/Receive
 Received By: Steve Lambert Sign
 Relinquished By: Steve Lambert Sign
 Received By: Steve Lambert Sign
 Relinquished By: Steve Lambert Sign
 Received By Laboratory: Steve Lambert Sign



Environmental Testing Laboratory
 245 South Grange Street • Medford, OR 97501
 (541) 770-5678 Fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information

Company: JCSD 9
 Address: PO Box 548
 Email: eruenwaldk@eagleport.k12.or.us
 Phone: 541 830-8377 Fax:
 Collected By (Print): Steve Lambert
 Collected By (Sign):
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B Required Project Information

Project Name: Eagle Port High
 Project Number:
 Report To:
 Copy To:
 P.O. #

Section C Invoice Information

Attention:
 Company Name:
 Address:
 P.O. #

Section D Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other:
 Authorized Yes No

Section E Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	NRC Sample # (Lab Use Only)
C1		DW	10/20/14	4:27 PM	2		1702881	
C2		DW	27538					57A
C3		DW	27544					58A
C4		DW	27535					59A
C5		DW	27534					60A
C6		DW	27537					61A
C7		DW	27557					62A
		DW						
		DW						

*Matrix: DW - Drinking Water WW - Wastewater W - water S - Soil Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section G Lab Use Only

Temp: MM
 4°C +/- 2°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: 7
 pH Checked: NA
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No
 Received Via: UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # Amount

Section F
 Relinquish/Receive Sign
 Relinquished By: Steve Lambert Print
 Received By: Steve Lambert Date 10/20/14 Time 8:52
 Relinquished By:
 Received By:
 Relinquished By:
 Received By Laboratory: RED SWING



Environmental Testing Laboratory
 245 South Grape Street • Medford, OR 97501
 (541) 770-5678 fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Page ___ of ___

Section A Required Client Information

Company: JCSD 9
 Address: PO Box 548
 Email: gruenwaldk@eaglept.k12.or.us
 Phone: 541 830-6377 Fax:
 Collected By (Print): Steve Lambert
 Collected By (Sign):
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B Required Project Information

Project Name: Eagle Point High
 Project Number:
 Report To:
 Copy To:
 P.O. #

Section C Invoice Information

Attention:
 Company Name:
 Address:
 P.O. #

Section D Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other:
 Authorized Yes No

Section E Sample Information

Sample ID	Comp/Grab	Matrix	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	NRC Sample # (Lab Use Only)
D1	#	19267	DW	2/27/17	9pm	06	1702861	604A
D2		19289	DW					605A
D3		19229	DW					606A
D4		19292	DW					607A
D5		19308	DW					608A
D6		19232	DW					609A
D7		19232	DW					700A
D8		19275	DW					711A

Section F
 Relinquish/Receive
 Relinquished By: *Steve Lambert* Sign
 Received By: *Steve Lambert* Sign
 Relinquished By: *Steve Lambert* Sign
 Received By: *Steve Lambert* Sign
 Relinquished By: *Steve Lambert* Sign
 Received By: *Steve Lambert* Sign

Section G Lab Use Only

Temp: *4°C*
 4°C +/- 2°C: Yes No
 Received on ice: Yes No
 Number of Bottles Received: *8*
 pH Checked: *NA*
 COC Seals Intact: Yes No
 Field Blank Included: Yes No
 Payment: Invoice Cash VISA, M/C
 Received Via: UPS FedEx Other Hand
 Amount: *1000.00*